

Estate<sup>®</sup>WIRE 

**Stronger.** Longer Lasting.

Fencing for Horses and Foals 



  
ArcelorMittal

# EstateWIRE® FX

EstateWIRE® FX combines 2Life® anti-corrosive technology with the rigid, strength forming advantages of the FX knot to deliver a stronger, longer lasting horse and foal fence.

We have been making longer lasting fencing for more than 30 years. Like our fencing products, we are here to stay.



GUARANTEED 2Life® anti-corrosive technology PLUS the rigid, strength forming FX knot deliver a strong and robust horse and foal fence that will stand the test of time.

## EstateWIRE FX is:

- Animal hide, skin and coat friendly reducing the risk of injury to livestock and people
- Stronger than traditional hinge joint fence
- More rigid than conventional hinge joint fencing
- More rigid in the horizontal fence line
- Faster and easier to install
- Manufactured to BS EN10223-5
- Galvanised to BS EN10244-2
- Guaranteed to last at least twice as long as zinc only galvanised products to BS EN10244-2 Class A.

## Rapid tying off

EstateWIRE FX is manufactured using continuous horizontal and vertical wires. The horizontal and vertical wires are held together at their cross over point by individual FX knots.

Removing the FX knots along a vertical wire allows the vertical wire to be removed quickly creating the horizontal tail wires for tying off.

Unlimited applications due to a comprehensive number of mesh apertures.






ArcelorMittal

Our standard stock Estate<sup>®</sup>WIRE FX products:


 **HT12/110/5**



- Characteristics**
- > Height 1100mm
  - > Vertical Spacing 50mm
  - > Length 50m
  - > Nominal Weight 82kg
  - > Rolls/pallet 9

←→ 50mm

 **HT12/110/7.5**



- Characteristics**
- > Height 1100mm
  - > Vertical Spacing 75mm
  - > Length 50m
  - > Nominal Weight 61kg
  - > Rolls/pallet 9

←→ 75mm


 **HT13/120/5**



- Characteristics**
- > Height 1200mm
  - > Vertical Spacing 50mm
  - > Length 50m
  - > Nominal Weight 89kg
  - > Rolls/pallet 9

←→ 50mm

 **HT13/120/7.5**



- Characteristics**
- > Height 1200mm
  - > Vertical Spacing 75mm
  - > Length 50m
  - > Nominal Weight 68kg
  - > Rolls/pallet 9

←→ 75mm

Bespoke specifications can be manufactured on request.

Estate<sup>®</sup>WIRE FX is suitable for infrastructure rail & road projects and solar energy farms. Roll lengths available up to 500m for agriculture/highway/rail infrastructure projects where specialist fencing installation equipment is used.



Estate<sup>®</sup>WIRE 

Talk to an Estate<sup>®</sup>WIRE FX expert today:

Email: [fencingsales@arcelormittal.com](mailto:fencingsales@arcelormittal.com)

Telephone: +44 (0)114 239 2601

Fax: +44 (0)114 264 2514

Follow us:

 [arcelormittal.sheffield](https://www.facebook.com/arcelormittal.sheffield)



ArcelorMittal

ArcelorMittal Sheffield Ltd  
Vulcan Works  
Birley Vale Close  
Sheffield  
S12 2DB