



T.E POINTES

The reference for nails in France



ORIGINE
FRANCE[®]
GARANTIE

BV Cert. 6045282





ArcelorMittal

Summary



- 04-05 ArcelorMittal & WireSolutions
Transforming tomorrow
- 06-07 TE. Pointes®
The reference for nails in France
- 08-09 Bright flat head nail
Galvanised flat head nail
- 10-11 Masonry nail
Extra-large nail (Bright & Galvanised)
- 12-13 Bright round head nail
Galvanised round head nail
- 14-15 Bright twisted nail Sitor®
Galvanised twisted Sitor®
- 16-17 Electrozinc coated twisted extra large (Shingle)
Galvanised countersunk nail
- 18-19 Conical electrozinc head
Tip streaked conical electrozinc head
- 20-21 Tip burnished smooth concrete truss head
New packaging for concrete nails
- 22-23 Squared notched tip
Rolled annihilated tip
- 24-25 Staples
Trellising accessory
- 26-27 Crapal® Staples
- 28-29 Packaging available
Our tailor-made logistics service



Did you know ? We make staples in France such as Nails 



BVCert. 6045282



ArcelorMittal - Vertical integration


ArcelorMittal

ArcelorMittal is the world's leading steel company, with operations in more than 60 countries.

ArcelorMittal is the leader in all major global steel markets, including automotive, construction, household appliances and packaging, with leading R&D and technology, as well as sizeable captive supplies of raw materials and outstanding distribution networks.

With an industrial presence in over 18 countries spanning four continents, the company covers all of the essential steel markets, from emerging to mature.


Through its core values of Sustainability, Quality and Leadership, ArcelorMittal commits to operating in a responsible way with respect to health, safety and the wellbeing of its employees, contractors and the communities in which it operates. It is also committed to sustainable management of the environment and of finite resources.



ArcelorMittal is committed to protecting the environment.

For many years, ArcelorMittal has been committed to protecting the environment and reducing greenhouse gas emissions in its production with a goal of carbon neutrality by 2050. The group is also committed to carbon recycling. Indeed, for example, with ArcelorMittal Belgium, which separates CO and CO2 to manufacture bioethanol.

Besides, It is important to remember that steel is an alloy that is 100% recyclable and infinitely. The raw material that ArcelorMittal uses to produce its steel comes mainly from scrap metal.



WireSolutions

WireSolutions

WireSolutions is the wire drawing division of ArcelorMittal and is one of the world's largest wire drawers.

WireSolutions offers a diversified portfolio of low and high carbon wires, strands, wire ropes, fencing, nails, steel fibres for concrete reinforcement and corrosion-resistant solutions.

WireSolutions is continuously looking to develop new solutions with ArcelorMittal's research centres. Our famous corrosion-resistant Crapal® brands are recognised as references within the industry.

Galvanised solutions complete with organic and polyester coatings are also within our range, all offering excellent life span guarantees.

We value our customers business and strive to be the preferred supplier. Our experience and knowledge of products and markets enable us to satisfy the most specialised requirements within tight deadlines. Our proactive and dedicated sales team aim to ensure that a close and efficient relationship is maintained with every customer.

WireSolutions is the division wire drawing of the ArcelorMittal group. What does that mean?


- ▶ Sustainable access to the groupe high quality durable raw materials.
- ▶ Quality controls carried out throughout the production chain, from iron ore to final products.
- ▶ Close partnership with ArcelorMittal Research Centers for the development of innovative solutions.
- ▶ Guarantee of a partnership.
- ▶ All of our products are conformed to ISO 9001¹, ISO 14001² and OHSAS 18001³.

¹ International consensus on good practices in Quality management.
² International consensus on good practices in environmental management.
³ Globally recognized benchmark for occupational health and safety management systems.

	industrial wire		Steel fibres
	Ropes		Fencing and Agri Business
	CRW		Cold heading quality

ArcelorMittal - Vertical integration

From raw material to high-tech French industry!!




The Périgueux machine park is well supplied. With more than 40 machines, a rolling mill, cams, a galvanizing and heat treatment line, and an automatic packaging machine, the factory controls the entire process and can produce your order, in one step record!

Nail manufacture

To produce our nails made in France, we use 100% French steel wire. The primary grades of wire rod used in the manufacture of our points are as follows.

- ▶ C7DSI
- ▶ C6DBI
- ▶ C3D1B
- ▶ C45R



The reference of the french nail

Nail professionally!

ArcelorMittal Périgueux in Dordogne, has more than 100 years experience of wire drawing and the production of nails. As an ArcelorMittal Group company, ArcelorMittal Périgueux has access to premium quality raw materials from our integrated supply chain.

Permanent quality control ensures a high quality product from a company with full ISO 9001 certification.

The TE Pointes® is a diverse brand suitable for all wood trades, construction, agriculture and DIY users alike.

Packaged in an orange box will EAN code information for full traceability, TE Pointes are easily identifiable in all DIY outlets.

Being located in France and in close proximity to its major market and European customers, ArcelorMittal Périgueux is able to reduce its carbon footprint through low CO2 contributions for transport.



High protection against corrosion


ArcelorMittal Périgueux uses mechanical plating to offer an ecological zinc galvanised product with high protection. The process has the following advantages:

High performance:

According to comparative salt spray tests, the zinc coating is smooth and evenly distributed, offering better protection than a hot-dip galvanisation process.

Ecology

Mechanical plating helps protect the environment through the lower temperatures the process requires than hot-dip galvanising, producing less air pollution.



*mechanical plating

Bright flat head nail

Bright

Box of 5 kg
Box of 1 kg

EAN code = 341370 + Item code

- The flat head point allows you to fix wood to wood or metal to wood.
- It is particularly suitable for assemblies of frames, non-visible joinery, packaging and sealing of door frames.



Fine nail			
Ø x Lg (mm)	Item code 5 kg	Item code 1Kg	Number of nails/kg (approx)
1.50 x 25	102 307 5	-	2694
1.50 x 30	102 305 1	323 747 0	2245
1.80 x 30	102 299 3	313 575 2	1559
2.00 x 35	102 293 1	313 600 1	1082
2.00 x 40	102 292 4	-	947
2.20 x 40	102 288 7	313 573 8	783
2.20 x 45	102 287 0	-	696
2.40 x 50	102 280 1	313 571 4	526

Standard nails			
Ø x Lg (mm)	Item code 5 kg	Item code 1Kg	Number of nails/kg (approx)
2.70 x 40	102 272 6	-	520
2.70 x 45	102 271 9	-	462
2.70 x 50	102 270 2	-	416
2.70 x 55	102 269 6	-	378
2.70 x 60	102 268 9	313 568 4	346
3.00 x 50	320 076 4	-	337
3.00 x 55	102 258 0	311 875 5	306
3.00 x 60	102 257 3	-	281
3.00 x 65	320 077 1	-	259
3.00 x 70	102 255 9	313 576 9	241
3.50 x 50	320 078 8	-	247
3.50 x 55	308 557 6	-	225
3.50 x 65	102 243 6	-	190
3.50 x 70	102 245 0	313 570 7	177
3.50 x 80	102 242 9	313 569 1	155
4.00 x 90	102 236 8	313 574 5	105
4.00 x 100	325 523 8	-	95
4.50 x 100	102 228 3	313 572 1	75
5.00 x 110	102 224 5	313 577 6	55
5.00 x 125	102 222 1	313 599 8	48
5.50 x 125	325 524 5	-	40
5.50 x 140	102 215 3	313 643 8	36
5.50 x 150	325 525 2	-	33

Long lengths			
Ø x Lg (mm)	Item code 5 kg	Item code 1Kg	Number of nails/kg (approx)
6.00 x 160	102 208 5	-	26
6.00 x 180	102 207 8	-	23
6.00 x 200	305 054 3	-	21
6.50 x 180	102 203 0	-	20
7.00 x 200	102 197 2	-	15
7.00 x 220	303 000 2	-	14
7.00 x 250	102 194 1	-	12
7.00 x 300	102 193 4	-	10

Safety and storage



✓ Head and eye protection and gloves must be used at all times



✓ Keep dry
✗ No stacking

Galvanised flat head nail

Galvanised


Box of 5 kg
Box of 1 kg

EAN code = 341370 + Item code

- The flat head point allows you to fix wood to wood or metal to wood.
- It is particularly suitable for assemblies of frames, non-visible joinery, packaging and sealing of door frames.
- The zinc coating specially developed by the group's R&D teams from ArcelorMittal provides additional protection against corrosion, particularly in regularly humid environments.



Standard nails			
Ø x Lg (mm)	Item code 5 kg	Item code 1Kg	Number of nails/kg (approx)
1.50 x 25	111 115 4	314 678 9	2424
1.80 x 30	111 120 8	-	1403
2.00 x 35	111 124 6	313 980 4	974
2.20 x 40	111 126 0	313 981 1	704
2.40 x 50	111 131 4	325 626 6	473
2.70 x 45	111 134 5	-	416
2.70 x 50	111 135 2	325 626 6	374
2.70 x 55	111 136 9	-	340
2.70 x 60	111 137 6	314 679 6	312
3.00 x 55	111 138 3	305 290 5	275
3.00 x 60	303 677 6	-	287
3.00 x 70	111 140 6	-	216
3.50 x 65	111 855 9	314 239 2	171
3.50 x 70	111 141 3	313 982 8	159
3.50 x 80	111 142 0	314 680 2	139
4.00 x 90	111 143 7	-	95
4.50 x 100	111 144 4	313 983 5	67
5.00 x 110	111 145 1	-	50
5.00 x 125	111 146 8	313 984 2	44
5.50 x 140	111 148 2	320 589 9	32
6.00 x 160	111 150 5	-	24
6.50 x 180	343 481	-	-



Safety and storage



✓ Head and eye protection and gloves must be used at all times



✓ Keep dry
✗ No stacking





Masonry nail

Masonry nail

Box of 5 Kg

EAN code = 341370 + Item code

- The mason nail is an ideal point for making any concrete formwork.
- Extremely resistant nail.
- It can be used on all types of chipboard.



Masonry nail		
Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
5.00 x 55	102 250 4	110



Safety and storage



✓ Head and eye protection and gloves must be used at all times



✓ Keep dry
✗ No stacking



Extra - large nail

Bright & galvanised

Box of 5 kg

EAN code = 341370 + Item code

- It can be used for trellising and roof applications.
- The electrozinc coating specially developed by the group's R&D teams from ArcelorMittal provides additional protection against corrosion, particularly in regularly humid environments.



Bright Extra-large		
Ø x Lg (mm)	Item Code 5 kg	Number of nails/kg (approx)
2.40 x 27	325 935	919

Galvanised Extra-large		
Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
2.20 x 35	363 275	820
2.40 x 27	325 936 6	919
2.40 x 35	355327 3	617
2.70 x 27	311 970 7	726
2.70 x 30	304 884 7	653
2.70 x 40	355 326 6	433
2.70 x 45	356 520	472
3.00 x 20	312 538 8	794
3.00 x 23	111 244 1	690
3.00 x 25	340 280	526
3.00 x 30	111 206 9	529
3.00 x 35	111 207 6	454
3.00 x 40	111 208 3	397
3.00 x 45	111 209 0	383
3.00 x 50	111 210 6	317
3.00 x 55	111 211 3	289
3.00 x 60	111 212 0	265
3.00 x 70	111 213 7	227
3.50 x 40	325914 4	313
3.50 x 45		281
3.50 x 50	315191 2	254
3.50 x 60	315 476 0	194
3.50 x 70	303 019 4	167
3.50 x 80	111 217 5	146
4.00 x 50	355325 9	177
4.00 x 90	-	109



Safety and storage



✓ Head and eye protection and gloves must be used at all times



✓ Keep dry
✗ No stackings

Round head nail



Bright

Box of 5 kg

Box of 1 kg

EAN code = 341370 + Item code

- Bright steel carpentry nail, mainly used for small interior jobs used for great precision.
- It can be used for several applications: fixing on wood, various assemblies, laying a wood floor, wood wainscoting, carpentry.

Bright round head nail			
Ø x Lg (mm)	Item code 5 kg	Item code 1Kg	Number of nails/kg (approx)
1.30 x 20	102 539 0	–	
1.50 x 25	102 533 8	313 601 8	2891
1.50 x 27	102 531 4	313 634 6	2677
1.50 x 30	102 530 7	313 602 5	2409
1.50 x 35	102 528 4	313 748 0	2065
1.80 x 30	102 480 5	–	1673
1.80 x 35	102 479 9	313 598 1	1434
1.80 x 40	102 478 2	–	1255
2.00 x 35	102 474 4	–	1161
2.20 x 40	102 469 0	313 635 3	840
2.40 x 50	102 462 1	313 597 4	565
2.70 x 60	102 459 1	313 603 2	372
3.00 x 70	102 448 5	–	258



Safety and storage



✓ Head and eye protection and gloves must be used at all times



✓ Keep dry
✗ No stacking

TE Pointes : The manufacturer able to realise your needs!

Round head nail



Galvanised

Box of 5 kg

Box of 1 kg

EAN code = 341370 + Item code

- Galvanised steel carpentry nail, mainly used for small interior jobs used with great precision.
- Can be used for several applications: fixing on wood, various assemblies, laying of wood floor, wood wainscoting, carpentry.
- The electrozinc coating specially developed by the group's R&D teams from ArcelorMittal provides additional protection against corrosion, particularly in regularly humid environments.

Galvanised round head nail			
Ø x Lg (mm)	Item code 5 kg	Item code 1Kg	Number of nails/kg (approx)
1.50 x 25	303 213 6	314 701 4	2602
1.80 x 30	111 164 2	317 209 2	1506
1.80 x 35	111 165 0	314 702 1	1290
2.20 x 40	111 168 0	314 703 8	756
2.40 x 50	111 170 3	–	508
2.70 x 60	111 171 0	–	335



Safety and storage



✓ Head and eye protection and gloves must be used at all times



✓ Keep dry
✗ No stacking

TE Pointes : The manufacturer able to realise your needs!



Twisted nail Sitor®

Bright

Box of 5 kg*

EAN code = 341370 + Item code

- Bright steel roofing nail and framing mainly used for roofing work requiring great discretion and high tensile strength. (May require a pre-drilling).
- Fixing beams, planks and for all types of structural timber and frames.
- The nail can be used for carport type frames, (does not become a projectile).



Twisted nail SITOR®		
Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
2.50 x 50	104 008 9	582
2.85 x 50	306 036	325
2.85 x 60	306 038 2	373
2.85 x 70	306 478 6	320
3.20 x 70	306 043 6	254
3.20 x 80	306 046 7	222
3.60 x 80	103 965 6	175
3.60 x 90	103 964 9	156
4.10 x 100	103 196 4	108
4.50 x 110	103 195 7	82
5.00 x 125	103 194 0	58
5.50 x 140	103 193 3	43
6.00 x 160	103 192 6	32
6.50 x 180	103 191 9	24
6.50 x 200	103 190 2	22
6.50 x 220	112 145 0	20

* Box of 1 kg on request



Safety and storage



✓ Head and eye protection and gloves must be used at all times



✓ Keep dry
✗ No stacking

TE Pointes : The manufacturer able to realise your needs!



Twisted nail Sitor®

Galvanised

Box of 5 kg

EAN code = 341370 + Item code

- Galvanised steel roofing nail and framing mainly used for roofing work requiring great discretion and high tensile strength. (May require a pre-drilling).
- Fixing beams, planks and for all types of structural timber and frames.
- The nail can be used for carport type frames, (does not become a projectile).
- The zinc coating specially developed by the group's R&D teams from ArcelorMittal provides additional protection against corrosion, particularly in regularly humid environments.



Twisted nail SITOR®		
Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
2.50 x 50	302 952 5	
2.85 x 60	306 482 3	336
3.20 x 70	306 485 4	228
3.20 x 80	306 486 1	200
3.60 x 70	355 324 2	170
3.60 x 80	111 362 2	150
3.60 x 90	111 363 9	140
4.10 x 100	115 486 1	97
4.50 x 110	115 412 0	73
5.00 x 125	111 379 0	52
5.50 x 140	111 380 6	39
6.00 x 160	115 481 6	28



Safety and storage



✓ Head and eye protection and gloves must be used at all times



✓ Keep dry
✗ No stacking

TE Pointes : The manufacturer able to realise your needs!

Electrozinc coated twisted extra large (Shingle)

Electrozinc coated twisted extra large (Shingle)

Box of 5 kg

EAN code = 341370 + Item code

- High resistance in corrosive environments.
- Perfect for roof waterproofing membranes.
- High tear resistance thanks to its twist



Electrozinc coated twisted extra large

Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
3.60 x 50	304 175 6	714



Safety and storage



✓ Head and eye protection
and gloves must be used at
all times



✓ Keep dry
✗ No stacking

TE Pointes : The manufacturer able to realise your needs!

Countersunk nail

Countersunk nail galvanised

Box of 5 kg

EAN code = 341370 + Item code

- Nail specially designed for assembling natural or industrial wood (plywood, wood siding).
- Its countersunk form gives it exceptional grip.



Countersunk nail galvanised

Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
3.50 x 40	303 222 8	255
3.50 x 70	302 722 4	177



Safety and storage



✓ Head and eye protection
and gloves must be used at
all times



✓ Keep dry
✗ No stacking

TE Pointes : The manufacturer able to realise your needs!

Concrete truss head



Conical electrozinc head

Box of 1 kg
EAN code = 341370 + Item code

- Nail for concrete fixing, may require pre-drilling.
- Use as a level tip.
- Electrozinc coating which ensures optimal duration over time. It is also a nail designed not to yield but to twist if the tension is too high (does not become a projectile).



Conical head		
Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
3.50 x 30	363 591 0	412
3.50 x 40	363 593 0	309
3.50 x 50	363 594 0	247
3.50 x 60	363 595 0	206
3.50 x 70	363 596 0	177
3.50 x 80	363 597 0	155



Safety and storage



✓ Head and eye protection and gloves must be used at all times



✓ Keep dry
✗ No stacking

Concrete truss head



Tip streaked conical electrozinc head

Box of 1 kg
EAN code = 341370 + Item code

- Nail for concrete fixing, may require pre-drilling.
- Use as a level tip.
- Electrozinc coating which ensures optimal duration over time. It is also a nail designed not to yield but to twist if the tension is too high (does not become a projectile).



Tip streaked conical head electrozinc		
Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
2.70 x 30	307 615 4	693
2.70 x 40	307 616 1	520
2.70 x 50	308 759 4	416
3.50 x 30	305 365 0	412
3.50 x 40	305 366 7	309
3.50 x 50	305 367 4	247
3.50 x 60	305 265 3	206
3.50 x 70	307 617 8	177
3.50 x 80	306 050 4	155



Safety and storage



✓ Head and eye protection and gloves must be used at all times



✓ Keep dry
✗ No stacking

Concrete truss head



Tip burnished smooth concrete truss head

Box of 1 kg

EAN code = 341370 + Item code

- The round head of this point was designed to avoid tearing.
- It is dedicated to nailing wooden plinths, plumbing collars.



Tip burnished smooth concrete truss head

Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
2.00 x 16	310 144 3	2367
2.00 x 25	309 386 1	1515
2.00 x 30	306 086 3	1263
2.50 x 30	309 373 1	808
2.50 x 40	315 167 7	606
2.50 x 50	307 432 7	485
3.00 x 40	312 916 4	421
3.50 x 60	305 182 3	206
3.50 x 70	311 704 8	177
3.50 x 80	305 438 1	155



Safety and storage



✓ Head and eye protection and gloves must be used at all times.



✓ Keep dry
✗ No stacking

TE Pointes : The manufacturer able to realise your needs!

New packaging; bucket of 2.5 Kg, available now!

Reusable packaging



Shock resistance



Easy to use to transport to construction sites





Copper nail

Square notched tip

Bucket of 5 kg

EAN code = 341370 + Item code

- Notched to ensure excellent grip.
- Ideal for the renovation of historical monuments.
- Diamond-shaped tip for precise and fast nailing.



Square notched tip		
Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
3,0 x 27	-	667
3,0 x 30	363 139	420
3,0 x 35	363 621	360
3,0 x 40	363 140	314
3,0 x 45	363 141	309
3,0 x 50	363 142	251
3,0 x 60	363 622	209
3,0 x 70	363 623	170
3,5 x 80	-	-



Safety and storage



✓ Head and eye protection and gloves must be used at all times.



✓ Keep dry
✗ No stacking

TE Pointes : The manufacturer able to realise your needs!




Copper nail

Rolled annihilated tip

Bucket of 5 Kg

EAN code = 341370 + Item code

- Nail for concrete application, and may require pre-drilling.
- Use as a level tip.
- Electrozinc coating which ensures optimal duration over time. It is also a nail designed not to yield but to twist if the tension is too great (does not become a projectile)



Rolled annihilated tip		
Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
2,7 x 27	363616	667
3,0 x 30	363649	420
3,0 x 35	363617	427
3,0 x 40	363618	376
3,0 x 45	363619	383
3,0 x 50	363620	298
3,0 x 55	-	-
3,0 x 60	-	-
3,0 x 70	-	-
3,0 x 80	-	-



Safety and storage



✓ Head and eye protection and gloves must be used at all times.



✓ Keep dry
✗ No stacking


TE Pointes : The manufacturer able to realise your needs!



Trellising accessory

Bright staple

Box of 5 kg
EAN code = 341370 + Item code



Bright staple		
Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
2.40 x 23	104 238 0	656

Notched galvanised

Box of 5 kg
EAN code = 341370 + Item code



Notched galvanised		
Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
4.50 x 45	315 089 2	84

Twisted galvanised Sitor®


Box of 5 kg
EAN code = 341370 + Item code



Twisted galvanised Sitor®		
Ø x Lg (mm)	Item code 5 kg	Number of nails/kg (approx)
3.60 x 35	302 630 2	196

Smooth bright


Box of 1 and 5 kg
EAN code = 341370 + Item code



Smooth bright				
Ø x Lg (mm)	Box of 5 kg	Bucket of 5 kg	Box of 1Kg	Number of nails/kg (approx)
2.70 x 27	104 225 0	362 074	110 967 0	434
3.00 x 30	104 224 3	362 075	110 968 7	317
3.50 x 35	104 223 6	362 076	111 039 3	199
4.50 x 40	104 221 2	362 078	-	106

Smooth galvanised

Box of 1 and 5 kg
Bucket of 5 kg
EAN code = 341370 + Item code



Smooth galvanised				
Ø x Lg (mm)	Box of 5 kg	Bucket of 5 kg	Box of 1Kg	Number of nails/kg (approx)
2.70 x 27	359 391	362 071	326 350 9	391
3.00 x 30	359 393	362 056	359 390	285
3.50 x 35	326 363 9	362 057	326 352 3	179
4.50 x 40	326 361 5	362 058	326 353 0	95
5.00 x 50	359 399	341 037 8	-	62



Trellising accessory

Galvanised vineyard nail


Box of 5 kg
EAN code = 341370 + item code



Galvanised vineyard nail		
Ø x Lg (mm)	box of 5 kg	Number of nails/kg (approx)
3.50 x 55	314 073	154

Galvanised vineyard clip


Box of 5 kg
Bucket of 5 kg
EAN code = 341370 + Item code



Galvanised vineyard clip			
Ø (mm)	Box of 5Kg	Bucket 5kg	Number of nails/kg (approx)
2.40	313 395	362 393	440

Faget® Vineyard tensioner

100 units
EAN code = 341370 + Item
code



Tensioner		
Brand	Item code	Number of nails/kg (approx)
ArcelorMittal	303 124 5	100

Key for Faget® vineyard tensioner

By unit
EAN code= 341370 +
Item code



Key for vineyard tensioner		
Brand	Item Code	Number
Faget®	303 125 2	By unit



CRAPAL® Staples



Crapal 4 coating is a Zinc / Aluminum coating that provides 4X longer life than rich galvanization.

Ideally suited to the vine and Arbo trellising wires in zinc/aluminium, it prevents the formation of a galvanic couple which risks damaging the wires at the point of contact with the help of a third conductive element such as water.



Crapal® Smooth staple
Bucket of 5 kg

- Round wire; double bevel cut



Crapal® Smooth staple		
Ø x Lg (mm)	Packaging	Nb of pieces /buckets (approx)
2.70 x 27	Bucket of 5Kg	2000 pieces/bucket (approx.)
3.00 x 30		1550 pieces/bucket (approx.)
3.50 x 35		1000 pieces/bucket (approx.)
4.50 x 40		550 pieces/bucket (approx.)
5.0 x 50		330 pieces/bucket (approx.)

Crapal® Barbed Staples
Bucket of 5 kg

- Round wire single bevel cut with barb that opposes its extraction



Crapal® Barbed Staples		
Ø x Lg (mm)	Packaging	Nb of pieces /buckets (approx)
3.00 x 30	Bucket of 5Kg	1550 pieces/bucket (approx.)
3.50 x 35		1000 pieces/bucket (approx.)
4.00 x 40		650 pieces/bucket (approx.)
4.00 x 50		500 pieces/bucket (approx.)



Safety and storage

✓ Gloves must be used at all times.

Crapal coating + Crapal thread = neutral.
Zinc coating + Crapal wire = risk of galvanic torque.

Contact us :

ArcelorMittal Périgueux ; Allée du Port CS 61223
F - 24019 Périgueux cedex
T +33 5 53 02 60 30
tepointes@arcelormittal.com
www.arcelormittal.com/wiresolutions/nail



Packaging

Cardboard box wrapped in
plastic film
5 kg



Cardboard box with window
containing 10 x 1kg boxes
and a double open system
1 kg



Cardboard box containing
10 x 1kg boxes
10 kg



Plastic bucket
2.5 kg* and 5 kg



*Only available on request for some products: please contact us.

Boxes per pallet
600-900 kg



Specifications

Packaging available or achievable
depending on the items.

All packaging is identified
by an EAN code.

Delivery on pallet
800 x 1200 mm.

Others packaging available on
request



Quick delivery



High protection



100 % recyclable



Large choice

“
The full T.E pointe
Périgueux team is at
your disposal for any
specific packaging and
delivery requests.”



Yon Elgue
Head of Sales



Looking for custom made
products?
In Perigord we can do that !!

Contact us :

ArcelorMittal Périgueux
Allée du Port CS 61223
F - 24019 Périgueux cedex

T +33 5 53 02 60 30

tepointes@arcelormittal.com

www.arcelormittal.com/wiresolutions/nails

Distributor details: