

Dragon medium stock fencing with optimum technology

APPLICATIONS > Agriculture | Rail | Highways | Pipeline

Product description

A hinge joint field fence manufactured with OPTIMUM wire, lasting at least five times longer than heavily galvanised.

- Enhanced protection with OPTIMUM technology a zinc, aluminium and magnesium galvanised coating topped with our green polymer anti-corrosion barrier.
- A conventional hinge joint field fence manufactured to BS EN 10223-5. Designed for ease of pull up when erecting. Suitable for the permanent fencing of livestock including sheep, cattle and pigs.
- A centreless core to provide a snag free, easily rolled out fence where all of the roll can be used.
- A deep crimp between the verticals to aid tensioning over uneven ground, elasticity against livestock and different weather conditions and to allow rainwater to drain away from the joint.

Coatings

A green polymer barrier, developed especially for zinc, aluminium and magnesium alloy surfaces. No cracking, peeling or blistering. Free of PVC and Hexavalent Chromium.

Mesh

- > Top & bottom wires Ø 3.00 mm. Min 600 N/mm²
- ➤ Horizontal wires Ø 2.50 mm. Min 600 N/mm²
- > Vertical wires Ø 2.50 mm. Min 350 N/mm²

Characteristics					
Designation	Height	Vertical spacing	Length	Nominal weight	Number of rolls per pallet
157 S. C. Maria	mm	mm	m	kg	The same of the sa
C8/80/15	800	150	50/100/250	32/64/160	20/12/4
Other patterns, sizes and heights available on request.					

OPTIMUM

OPTIMUM is a specially formulated galvanised coating, using zinc, aluminium and magnesium, delivering enhanced levels of protection.





Arcelor Mittal Sheffield, Vulcan Works, Birley Vale Close, Sheffield S12 2DB **Telephone:** +44 (0) 114 239 2601

Telephone: +44 (0) 114 239 2601 Fax: +44 (0) 114 264 2514 MADE IN SHEFFIELD

Follow us:



arcelormittal.sheffield